

Retraction Notice

The Editor-in-Chief and the publisher have retracted this article, which was submitted as part of a guest-edited special section. An investigation uncovered evidence of systematic manipulation of the publication process, including compromised peer review. The Editor and publisher no longer have confidence in the results and conclusions of the article.

NL, JX, and SG either did not respond directly or could not be reached.

Feature extraction method CNDFA for target contour of coal and gangue based on multifractal

Na Li[✉],* Jiameng Xue, and Sheng Gao

Xi'an University of Science and Technology, College of Computer Science and Technology,
Xi'an, China

Abstract. Feature extraction is an important factor to improve the recognition rate of coal and gangue. The existing feature extraction methods have some shortcomings in coal and gangue recognition, such as unsatisfactory recognition rate for actual images. Therefore, aiming at the shortcomings of existing coal and gangue feature extraction methods in coal and gangue recognition, the contour feature extraction method is researched based on images analysis to coal and gangue recognition. The center normalization detrended fluctuation analysis (CNDFA) feature extraction algorithm of contour is proposed based on the process of contour feature extraction for coal and gangue. Based on the analysis of the representative features of coal and gangue, the extraction process of target contour features is established based on hardness difference. Combined with the overall features of contour curve after detrending, a center normalized CNDFA feature extraction algorithm is proposed. First, the detrended analysis of contour curve is realized by least square optimal fitting, and then the detrended data are normalized. Finally, the contour features are described quantitatively by multifractal (MF) spectrum to form the geometric features of the target contour curve, which is used to train the support vector machine classifier. The experiment is carried out on the basis of image preprocessing, and the CNDFA method and other feature extraction methods, such as wavelet, gray level co-occurrence matrix, gray level difference statistics, auto-correlation function, and MF, are applied to the contour feature extraction of coal and gangue. Through the comprehensive comparison of the results after different methods recognition in confusion matrix, accuracy, and coal cleanliness, it is concluded that the overall effect of the CNDFA method is better than other methods, and the accuracy is improved by 5% to 25%. The results show that the CNDFA method has better performance. Compared with the other methods, it can better extract the contour features to improve the recognition rate of coal and gangue. © 2022 SPIE and IS&T [DOI: 10.1117/1.JEL.31.4.041217]

Keywords: coal and gangue recognition; feature extraction; contour features; multifractal; image preprocessing; SVM.

Paper 220240SS received Mar. 1, 2022; accepted for publication Aug. 1, 2022; published online Aug. 26, 2022; retracted Jun. 28, 2023.

1 Introduction

Traditional coal and gangue identification methods, such as gamma ray detection, infrared detection, and radar detection, have some difficulties in practical application.^{1,2} In view of the visual features of coal and gangue, the recognition method of coal and gangue based on image analysis has attracted extensive attention of researchers. Coal and gangue recognition based on image analysis has great research significance and broad application prospects.^{3,4} The realization of automatic recognition of coal and gangue images^{2,5} not only can produce great economic value but also has great significance to the safety of coal production enterprises and the protection of mining areas' surrounding environment. As a technical problem of coal mine analytics, the identification technology of coal and gangue has not obtained an ideal solution. Feature extraction is the key technology in coal and gangue recognition.⁶ If the accuracy of feature extraction method can be effectively improved, it will be a solid step for coal mining enterprises to move toward intelligent production.

*Address all correspondence to Na Li, 59255974@qq.com

In fractal theory, objects are described and studied by fractal dimension and mathematical methods; that is, the mathematical tools of fractal dimension are used to describe the features of objects. In this way, it is closer to the description of the real attributes and states of complex targets and more in line with the diversity and complexity of objects.

Based on the analysis of the existing feature extraction methods of coal and gangue recognition, we research in this paper how to extract the contour features of coal and gangue using fractal dimension. The purpose is to improve the insufficient effectiveness of feature extraction and recognition of coal and gangue in the existing computer vision methods, so as to improve the accuracy of recognition.

2 Related Research of Feature Extraction for Coal and Gangue

Effective feature extraction is the key step of coal and gangue recognition based on machine vision. At present, there are three main feature extraction methods for coal and gangue recognition, which are based on mathematical model, learning, and image vision.

In the methods based on mathematical models, a coal and gangue recognition method using wavelet transform is proposed in Ref. 7, and the given wavelet basis is used to extract the features of coal and gangue images. In Ref. 8, a coal and gangue recognition method based on asymmetric generalized Gaussian model in wavelet domain is proposed, and the model is used to represent the texture features of coal and gangue images. However, the features extracted by this method cannot accurately represent the image of coal and gangue.

In the method of extracting features from samples by learning, Wu and Tian⁹ proposed a coal and gangue image recognition method based on dictionary learning to extract features from coal and gangue images. The method based on dictionary learning can fully extract the features of coal and gangue images and represent coal and gangue images more accurately. However, this high-quality feature representation method needs to use effective samples in the training process. If the number of training samples is too small, on the one hand, it cannot truly reflect the feature distribution of coal and gangue images, which leads to the weak feature representation ability of coal and gangue images and cannot achieve satisfactory recognition accuracy. On the other hand, the recognition model is easy to over fit in the training process, resulting in low generalization performance. In Ref. 10, a coal and gangue recognition method based on local constraint self-learning is proposed, in which the dictionary optimization model is used to extract features from the auxiliary data set of non-coal and gangue images, and then, the coal and gangue image features are obtained combined with local constraint linear coding. These methods are based on self-learning. Although they have solved the problem that the image samples of coal and gangue used for training are not easy to recognize, the optimization object has no direct relationship with coal and gangue recognition, and the irrelevant features of coal and gangue may be extracted, which will reduce the accuracy of coal and gangue recognition.

In the method of using low-level gray texture features in image vision, Yu et al.¹¹ extracted gray information from coal and gangue images using the coexistence of local gray compression and expansion and classified coal and gangue images according to the four image features extracted from gray information. Li et al.¹² designed a four-layer backpropagation neural network to classify coal and gangue images. The neural network can receive training samples with three input features of gray histogram, fractal dimension, or energy value. Gao et al.¹³ implemented a similar strategy, in which the gray distribution of coal and gangue is obtained through the analysis of a large number of images. And on the basis of the existing gray distribution, a Bayesian discriminant algorithm is used for cluster analysis of coal and gangue images. In Ref. 14, the spectral features collected by spectrometer are used to classify bituminous coal, lignite, and rock. The specific application needs the support of remote sensing technology, high-resolution, hyperspectral, multidimensional, and remote sensing images. Zheng et al.¹⁵ studied the pneumatic separation technology of coal and gangue based on machine vision system. As a simple and effective operator, a local binary pattern is used for rotation invariant texture classification and has achieved satisfactory recognition accuracy in several applications.¹⁶ According to the amplitude transformation of local difference symbols, a complete local binary mode

descriptor is proposed in Ref. 17. The local texture features of coal and gangue images can be extracted directly by descriptor, but the recognition accuracy is not high enough.

In the above method, low-level features are extracted from image mainly through the feature descriptor. In recent years, especially the deep learning of convolutional neural network (CNN)¹⁸ has become an active research topic in the field of computer vision and pattern recognition. Due to its strong self-learning ability, CNN has been proved to have good performance in image processing, such as image classification,^{19,20} face recognition,²¹ and target detection.²² Compared with the traditional feature descriptor, CNN can extract high-level features from coal and gangue images. However, there are objective facts that depend on a large number of data, and the theoretical basis is not easy to explain. So it is still necessary to research the method of target feature extraction. The recognition rate and robustness of the above methods still need to be further researched in coal and gangue.

In this paper, the target contour feature extraction method is researched based on fractal dimension. As a feature extraction technology, fractal dimension calculation has been used in the recognition of coal and gangue, but only as an auxiliary feature combined with other methods. We use multifractal (MF) detrended fluctuation analysis (DFA) technology to research the contour feature extraction method of coal and gangue.

3 Contour Feature Extraction Based on Multifractal

3.1 Contour Feature Extraction Process of Coal and Gangue

Coal mining will output a large number of mixed blocks of coal and gangue. Based on the objective fact that hardness of coal and gangue is different, this fact will lead to the difference in edges of coal and gangue transported by belt. Specifically, the slight softness of coal blocks makes the edge outline spalling more, while the hardness of gangue makes the edge outline spalling less, resulting in the visual difference of the outline, so we take the contour feature extracted from the image as the basis to distinguish two types of objects.

On the basis of target segmentation, the representative features are analyzed according to the analysis of coal and gangue images and the needs of recognition. Due to invalid color information, the contour features of two kinds of targets are analyzed mainly by studying the description of gray features. Based on self-similarity of edge point sequence of the target object, the point sequence is described by fractal dimension, and the geometric feature (GF) extraction method of contour edge is studied.

The contour line is used as main GF for target recognition through a large number of experimental observations on the edge contour of different target objects and statistics on GFs of the two types of objects. The GF extraction process of target contour of coal and gangue is shown in Fig. 1.

The key in Fig. 1 shows the acquisition of edge point sequence. The clustering segmentation results are used to search the target edge points and detect the edge of the segmented coal and gangue image, as shown in Fig. 2.




Fig. 1 GF extraction process of target contour for coal and gangue.




Fig. 2 Edge contour detection of coal and gangue. (a) Coal image, (b) gangue image, (c) edge detection of coal image, and (d) edge detection of gangue image.

3.2 Center Normalized DFA Algorithm Based on Multifractal

The edge point sequence is extracted from the detected contour edge, and then the central coordinate is converted into polar coordinates with an accuracy of 0.1 deg. Accordingly, the point sequence of contour curve of coal and gangue is obtained, as shown in Fig. 3, in which the contour curve of coal is represented with blue, and the contour curve of gangue is represented with red. Because the point sequence on the contour curve has self-similarity, MF is used to quantitatively describe the mass distribution of these point sequences. At the same time, the DFA method is used to analyze the contour curve and extract MF features of edge point sequence.

The target contour sequence of coal and gangue is set as $\{s_k\}$, and $k = 1, 2, \dots, N$. To improve the accuracy of recognition effect, the central normalization feature of contour curve of coal and gangue is introduced, and the algorithm of center normalization detrended fluctuation analysis (CNDFA) is constructed based on multiple analysis. The calculation of MF analysis of target contour using CNDFA algorithm is as follows:




Fig. 3 Outline curve of coal and gangue. (a) The contour curve of coal, (b) the contour curve of gangue. (The horizontal direction is the relative position of the contour curve, and the vertical direction is the relative distance of the contour curve.)




Fig. 4 The original images. (a)–(c) Three original images of coal, and (d)–(f) Three original images of gangue.

Step 1. To make the means $\{t_k\}$ of data after detrending be zero, $\{s_k\}$ is subtracted from the least squares optimal fitting line D , as shown in Eq. (1):

$$t_k = s_k - D. \quad (1)$$

Step 2. The center normalization processing of detrending data is shown in Eq. (2), in which $\text{mean}(t_k)$, $\max(t_k)$, and $\min(t_k)$ are the mean, maximum, and minimum of t_k , respectively:

$$x_k = \frac{t_k - \text{mean}(t_k)}{\max(t_k) - \min(t_k)}. \quad (2)$$

Step 3. For the normalized sequence $\{x_k\}$ of target contour with length N , the demean sum sequence is constructed, as shown in Eq. (3):

$$Y(i) = \sum_{k=1}^i [x_k - \bar{x}] \quad i = 1, 2, 3, \dots, N, \quad (3)$$

where \bar{x} represents the mean value of sequence $\{x_k\}$ and $\bar{x} = \frac{1}{N} \sum_{k=1}^N x_k$.

Step 4. The demean sum sequence $Y(i)$ is divided into $N_s = \text{int}(N/s)$ nonoverlapping cells, and each cell contains s data. Since N may not be able to divide with s , there will be a section of $Y(i)$ left. To all the data of sequence $Y(i)$ be calculated, the segmentation process is repeated from the tail of $Y(i)$ sequence, so as to $2N_s$ cells of equal length are obtained.

Step 5. For s points in each interval v ($v = 1, 2, \dots, 2N_s$), k -order polynomial fitting is carried out by the least square method to obtain, as shown in Eq. (4):

$$y_v(i) = a_1 i^k + a_2 i^{k-1} + \dots + a_k i + a_{k+1}; \quad (i = 1, 2, \dots, s; k = 1, 2, \dots), \quad (4)$$

where $y_v(i)$ is fitting result and $a_1, a_2, \dots, a_k, a_{k+1}$ are the fitting coefficients.

Step 6. Calculating the mean square error $F^2(s, v)$, when $v = 1, 2, \dots, N_s$, $F^2(s, v)$ is calculated as shown in Eq. (5):

$$F^2(s, v) = \frac{1}{s} \sum_{i=1}^s \{Y[(v-1)s + i] - y_v(i)\}^2, \quad (5)$$

when $v = N_s + 1, N_s + 2, \dots, 2N_s$, $F^2(s, v)$ is calculated as shown in Eq. (6):

$$F^2(s, v) = \frac{1}{s} \sum_{i=1}^s \{Y[N - (v - N_s)s + i] - y_v(i)\}^2. \quad (6)$$

Step 7. For intervals $2N_s$, finding the mean value of $F^2(s, v)$ and obtaining the q -order fluctuation function $F_q(s)$, as shown in Eq. (7):

$$F_q(s) = \left\{ \frac{1}{2N_s} \sum_{v=1}^{2N_s} [F^2(s, v)]^q \right\}^{\frac{1}{q}}. \quad (7)$$

In the above equation, the wave function value $F_q(s)$ is the increasing function of s , and the functional relationship diagram of $\log F_q(s)$ relative to $\log s$ is made, that is, the MF detrending analysis curve. In this curve, the singularity distribution of contour quality in the case of intercell

division is described quantitatively by MF spectrum, which is used as the GFs of the contour curve of coal and gangue.

4 Experiment and Analysis

4.1 Experimental Data and Preprocessing

The application object of the method is coal block or gangue block in coal mine production. Their shape is random and irregular block in separation process. Coal and gangue in the image data set all come from random coal or gangue that has not been sorted in coal mine production. Therefore, the feature extraction of target contour in the experiment is based on real data. The data set is taken from the experimental simulation scene by RGB camera, which contains two object categories of coal and gangue. There are 200 images with category labels in the data set, including 100 coal images and 100 gangue images, which are used for image feature extraction and target classification. In the experimental simulation scenario, the low light and high dust environment were simulated by reducing light and spraying with water.

To verify the effectiveness of this method, the GF of the extracted contour curve is used to identify coal and gangue, and the comparison is made according to the experimental results.




Fig. 5 The image preprocessing of coal and gangue. (a)–(c) Denoising and enhancement for the three original images of coal, (d)–(f) denoising and enhancement for the three original images of gangue, (g)–(i) segmentation for the three original images of coal, (j)–(l) segmentation for the three original images of gangue, (m)–(o) segmentation results for the three original images of coal, (p)–(r) segmentation results for the three original images of gangue, (s)–(u) contour extraction for the three original images of coal, and (v)–(x) contour extraction for the three original images of gangue.

Support vector machine (SVM) classifier is used to classify coal and gangue, so as to achieve the purpose of recognition. In the experiment, 100 images of coal and 100 images of gangue were collected. The proportion of the number of training set samples was 80% and the proportion of the number of test set samples was 20%.

Before the feature extraction of contour sequence, the collected experimental images should be preprocessed. The first is denoising and enhancement. Here, bilateral filtering and retinex enhancement are used. Then, K -means clustering is used to realize segmentation, and finally canny operator is used for edge detection to extract the target contour. Six of the original images are shown in Fig. 4, and the preprocessed images from denoising to contour extraction are shown in Fig. 5.

Figures 5(a)–5(f) show the effect of image denoising and enhancement. From the visual analysis, these images have been removed from fog noise, and the contour information has been clearly displayed, so as to provide accurate boundary information for segmentation. Therefore, the preprocessing method in this paper can better realize the denoising and enhancement for coal and gangue images with low illumination and noise.

4.2 Experimental Results

For the preprocessed target contour, polar coordinate conversion is carried out to obtain the contour curve, as shown in Fig. 6; Figs. 6(a)–6(c) show the contour curve for the three original images of coal, and Figs. 6(d)–6(f) show the contour curve for the three original images of gangue. Figure 6 shows that there are slight differences in the vertical correlation distance values of their contour lines, but they are similar in spatial distribution, indicating that the contour curves of coal and gangue have self-similarity, which can be used to extract features and distinguish coal and gangue. The MF DFA of the contour curve is carried out using the method in this paper, and the detrended results are shown in Fig. 7. In Fig. 7, the solid blue line is the target contour curve, and the solid purple line is the target contour curve after detrending. And the dashed red line is the mean of target contour curve, and the dashed green line is the mean of target contour curve after detrending. It is shown in Fig. 7 that the mean value of the contour curve after detrending is zero, that is, the influence of noise and other factors on the contour is




Fig. 6 The contour curve. (a)–(c) The contour curve for the three original images of coal, and (d)–(f) the contour curve for the three original images of gangue. (The horizontal direction is the relative position of the contour curve, and the vertical direction is the relative distance of the contour curve.)




Fig. 7 The detrended chart. (a)–(c) The detrended chart for the three original images of coal, and (d)–(f) the detrended chart for the three original images of gangue. (The horizontal direction is the relative position of the contour curve, and the vertical direction is the relative distance of the contour curve.)

removed. It shows that the contour curve after detrending is more conducive to the identification of coal and gangue.

In Fig. 8, the horizontal direction represents the singular scale index α , and the vertical direction represents the fractal feature $f(\alpha)$ under the corresponding α . Each MF spectrum has inflection points, which reflects the features of convex function and also shows the MF features of the contour curve of coal and gangue, which can be further analyzed by this feature. Therefore, the feature set composed of the MF spectrum features is used to train the SVM classifier in the experiment, and the test data are tested. The specific values of parameters of MF spectrum feature corresponding to the contours of coal and gangue in Figs. 8(a)–8(f) are shown in Eq. (8). One line in the equation represents a target object, with a total of six lines, that is, it corresponds




Fig. 8 The MF spectrum features of contour curve of coal and gangue. (a)–(c) The MF spectrum for the three original images of coal, and (d)–(f) the MF spectrum for the three original images of gangue.

to the parameters of MF spectrum feature of the six target objects, in which the negative value is the influence of normalization. And the specific parameters of SVM classifier are shown in Eq. (9):

$$\text{multifractal} = \begin{bmatrix} 0.0202 & 0.5022 & 2.9375 & -2.3344 \\ 0.0351 & 0.6771 & 2.8669 & -2.4140 \\ 0.0127 & 0.3909 & 2.8896 & -1.6644 \\ 0.0232 & 0.5483 & 2.9622 & -3.0382 \\ 0.0428 & 0.7920 & 3.4748 & -2.1247 \\ 0.0362 & 0.7263 & 3.4042 & -2.0386 \end{bmatrix}, \quad (8)$$

Table 1 The confusion matrix of CNDFA.

Classification	Coal	Gangue
Coal	18	2
Gangue	9	11

Table 2 The confusion matrix of MF.

Classification	Coal	Gangue
Coal	20	0
Gangue	18	2

$$\text{classifier} = \text{fitsvm}(\text{Features}, \text{Labels}, \text{BoxConstraint} / 3, \text{KernelFunction} / \text{linear}). \quad (9)$$

Using the image data with labels for testing, a confusion matrix is generated to explain the recognition results. The confusion matrix corresponding to the improved CNDFA method in this paper is shown in Table 1, and the confusion matrix corresponding to direct MF is shown in Table 2.

The data in the confusion matrix represent the number of coal identified as coal, the number of coal identified as gangue, the number of gangue identified as coal, and the number of gangue identified as gangue, so the diagonal element is the number correctly identified. According to the data in Tables 1 and 2, it can be calculated that the correct recognition rate of CNDFA method is 72.5%, while that of MF is 55%. The recognition accuracy of this method is shown to be significantly higher than that of MF.

4.3 Result Analysis

To illustrate the performance of this method, the target feature extraction and SVM classification are realized based on wavelet transform,²³ gray level cooccurrence matrix (GLCM),²⁴ gray level difference statistics (GLDS),²⁵ and auto-correlation function (ACF)²⁶ for the data set in Sec. 3.1. Then, the confusion matrix and accuracy of their recognition are compared, as shown in Tables 3–6.

Based on the confusion matrix, the recognition accuracy of these methods is compared, as shown in Table 7.

Table 7 shows that the recognition rate of the method in this paper is higher than that of the other five methods. At the same time, we can see that in this method, the number of gangues is

Table 3 The confusion matrix of feature extraction using wavelet.

Classification	Coal	Gangue
Coal	14	6
Gangue	7	13

Table 4 The confusion matrix of feature extraction using GLCM.

Classification	Coal	Gangue
Coal	5	15
Gangue	0	20

Table 5 The confusion matrix of feature extraction using GLDS.

Classification	Coal	Gangue
Coal	20	0
Gangue	20	0

Table 6 The confusion matrix of feature extraction using ACF.

Classification	Coal	Gangue
Coal	1	19
Gangue	2	18

Table 7 Comparison of recognition accuracy of several methods.

Methods	Wavelet	GLCM	GLDS	ACF	MF	CNDFA
Accuracy (%)	67.5	62.5	50	47.5	55	72.5

mistakenly regarded as nine and the number of wavelet method is seven, which is according to the confusion matrix of this method and wavelet method. From the aspect of the cleanliness of the identified coal, that is, the amount of gangue mixed in the coal, there is little difference between the cleanliness of coal identified by this method and wavelet method. Therefore, the overall recognition performance of this method is better, and compared with other methods, the accuracy is improved by 5% to 25%. The overall recognition rate is low for low-quality image sets of coal and gangue in the experiment, which can be improved by optimizing the SVM classification model. In this experiment, only the performance of feature extraction methods is compared and explained.

5 Conclusion

Based on the existing identification methods of coal and gangue, the representative features of coal and gangue are analyzed. According to the hardness difference between coal and gangue, the GF extraction process of target contour is proposed based on MF DFA. And combined with the normalization processing of data after detrending, the CNDFA algorithm is proposed. In the simulation part, the experimental data and preprocessing process are introduced, and then, the MF spectrum features of the contour curve detrended are extracted by CNDFA algorithm, which is used to train the SVM classifier. Through the comprehensive comparison of the recognition results with other methods in confusion matrix and accuracy, it is concluded that the overall effect of this method is better than other methods.

Although the performance of this method is better than other methods in the experiment, the recognition accuracy cannot meet the actual needs. On the one hand, it is related to low-quality images of coal and gangue. On the other hand, SVM classifier needs to be optimized, but this is not the focus of this paper. Therefore, the following conclusion can be drawn, that is, the CNDFA method can effectively improve the recognition rate of coal and gangue.

Acknowledgments

This work was supported by the National Natural Science Foundation of China (Grant No. 62002285) and Scientific and Technology Program Funded by Xi'an City (Grant No. 2020KJRC0069). The authors would like to thank the editors and anonymous reviewers for

their constructive comments, which helped to improve the quality of this paper. The authors declare no conflicts of interest.

References

1. Z. Xu et al., "Machine vision recognition method and optimization of intelligent separation of coal gangue," *J. Coal* **45**(6), 2207–2216 (2020).
2. M. Li et al., "Image recognition method and system of coal gangue sorting robot," *J. Coal* **45**(10), 3636–3644 (2020).
3. D. Dou et al., "Coal and gangue recognition under four operating conditions by using image analysis and relief-SVM," *Int. J. Coal Prep. Utilization* **40**(7), 473–482 (2020).
4. N. Li and X. Gong, "An image preprocessing model of coal and gangue in high dust and low light conditions based on the joint enhancement algorithm," *Comput. Intell. Neurosci.* **2021**, 2436486 (2021).
5. J. Chen et al., "Black-box adversarial attack on license plate recognition system," *Acta Automat. Sin.* **47**(1), 121–136 (2021).
6. X. Wang et al., "Dielectric and geometric feature extraction and recognition method of coal and gangue based on VMD-SVM," *Powder Technol.* **392**(7), 241–250 (2021).
7. J. Sun and J. She, "Feature extraction and recognition of coal rock image based on wavelet," *J. Coal* **38**(10), 1900–1904 (2013).
8. J. Sun and B. Chen, "Coal rock recognition algorithm based on asymmetric generalized Gaussian model in wavelet domain," *J. Coal* **40**(Z2), 568–575 (2015).
9. Y. Wu and Y. Tian, "Feature extraction and recognition method of coal rock image based on dictionary learning," *J. Coal* **41**(12), 3190–3196 (2016).
10. Y. Wu and X. Meng, "Self learning coal rock recognition method with local constraints," *J. Coal* **43**(9), 277–284 (2018).
11. L. Yu et al., "Coal and coal gangue image recognition using partial gray compression extended order co-occurrence matrix," *J. Huaqiao Univ.* **39**(6), 126–132 (2018).
12. W. Li et al., "Coal and coal gangue separation based on computer vision," in *Fifth Int. Conf. Front. of Comput. Sci. and Technol.* (2010).
13. K. Gao et al., "An efficient of coal and gangue recognition algorithm," *Signal Process. Image Process. Pattern Recognit.* **6**(1), 345–354 (2014).
14. B. Le et al., "Coal exploration based on a multilayer extreme learning machine and satellite images," *IEEE Access* **6**(4), 328–339 (2018).
15. K. Zheng et al., "Underground pneumatic separation of coal and gangue with large size (≥ 50 mm) in green mining based on the machine vision system," *Powder Technol.* **278**(8), 223–233 (2015).
16. Z. Lei, M. Pietikainen, and S. Li, "Learning discriminant face descriptor," *IEEE Trans. Pattern Anal. Mach. Intell.* **36**(2), 289–302 (2014).
17. X. Liu et al., "Multi-scale feature fusion for coal-rock recognition based on completed local binary pattern and convolution neural network," *Entropy* **21**(6), 622–630 (2019).
18. M. Asnakew, "Applications of convolutional neural network for classification of land cover and groundwater potentiality zones," *J. Eng.* **2022**, 8 (2022).
19. H. Malik, T. Anees, and Mui-zzud-din, "BDCNet: multi-classification convolutional neural network model for classification of COVID-19, pneumonia, and lung cancer from chest radiographs," *Multimedia Syst.* **28**, 815–829 (2022).
20. J. Liu, H. Shao, and Y. Jiang, "CNN-based hidden-layer topological structure design and optimization methods for image classification," *Neural Process. Lett.* **54**, 2831–2842 (2022).
21. J. Niu, Z. Xie, and Y. Li, "Scale fusion light CNN for hyperspectral face recognition with knowledge distillation and attention mechanism," *Appl. Intell.* **52**, 6181–6195 (2022).
22. C. Li et al., "A method of cross-layer fusion multi-object detection and recognition based on improved faster R-CNN model in complex traffic environment," *Pattern Recognit. Lett.* **145**(1), 127–134 (2021).

23. M. Acharya et al., "Image classification based on approximate wavelet transform and transfer learning on deep convolutional neural networks," in *Int. Symp. Dev., Circuits and Syst. (ISDCS)* (2020).
24. L. Yan and W. Xia, *A Modified Three-Dimensional Gray-Level Co-Occurrence Matrix for Image Classification with Digital Surface Model*, Copernicus GmbH (2019).
25. Y. Yoon et al., "Classification of radiographic lung pattern based on texture analysis and machine learning," *J. Vet. Sci.* **20**(4), e44 (2019).
26. W. Chao, G. Hao, and X. Zhang, "Radar signal classification based on auto-correlation function and directed graphical model," in *IEEE Int. Conf. Signal Process.*, IEEE (2016).

Na Li is a lecturer at Xi'an University of Science and Technology. She received her MS degree in engineering from Xi'an University of Science and Technology in 2010 and her PhD in computer software and theory from Northwestern University in 2016. She is the author of more than 15 journal papers and has written three book chapters. Her current research interests include visualization technology, artificial intelligence, etc.

Jiameng Xue is a postgraduate at Xi'an University of Science and Technology. His current research interests include image analysis and artificial intelligence.

Sheng Gao is a postgraduate at Xi'an University of Science and Technology. His current research interests include visualization technology and intelligent calculation.