PROCEEDINGS OF SPIE

AOPC 2022: Optical Sensing, Imaging, and Display Technology

Yadong Jiang Xiaoyong Wang Yongtian Wang Dong Liu Bin Xue Editors

18–19 December 2022 ONLINE, China

Sponsored by Chinese Society for Optical Engineering (CSOE) (China)

Technical Sponsor SPIE

Organized by Tianjin University (China) University of Electronic Science and Technology of China (China) Nanjing University of Science and Technology (China) Beijing Institute of Space Mechanics and Electricity (China) Science and Technology on Low-light-level Night Vision Laboratory (China) Science and Technology on Electro-Optical Information Security Control (China)

Published by SPIE

Volume 12557

Proceedings of SPIE 0277-786X, V. 12557

SPIE is an international society advancing an interdisciplinary approach to the science and application of light.

AOPC 2022: Optical Sensing, Imaging, and Display Technology, edited by Yadong Jiang, Xiaoyong Wang, Yongtian Wang, Dong Liu, Bin Xue, Proc. of SPIE Vol. 12557, 1255701 · © 2023 SPIE · 0277-786X · doi: 10.1117/12.2670254 The papers in this volume were part of the technical conference cited on the cover and title page. Papers were selected and subject to review by the editors and conference program committee. Some conference presentations may not be available for publication. Additional papers and presentation recordings may be available online in the SPIE Digital Library at SPIEDigitalLibrary.org.

The papers reflect the work and thoughts of the authors and are published herein as submitted. The publisher is not responsible for the validity of the information or for any outcomes resulting from reliance thereon.

Please use the following format to cite material from these proceedings: Author(s), "Title of Paper," in *AOPC 2022: Optical Sensing, Imaging, and Display Technology*, edited by Yadong Jiang, Xiaoyong Wang, Yongtian Wang, Dong Liu, Bin Xue, Proc. of SPIE 12557, Sevendigit Article CID Number (DD/MM/YYYY); (DOI URL).

ISSN: 0277-786X ISSN: 1996-756X (electronic)

ISBN: 9781510662285 ISBN: 9781510662292 (electronic)

Published by **SPIE** P.O. Box 10, Bellingham, Washington 98227-0010 USA Telephone +1 360 676 3290 (Pacific Time) SPIE.org Copyright © 2023 Society of Photo-Optical Instrumentation Engineers (SPIE).

Copying of material in this book for internal or personal use, or for the internal or personal use of specific clients, beyond the fair use provisions granted by the U.S. Copyright Law is authorized by SPIE subject to payment of fees. To obtain permission to use and share articles in this volume, visit Copyright Clearance Center at copyright.com. Other copying for republication, resale, advertising or promotion, or any form of systematic or multiple reproduction of any material in this book is prohibited except with permission in writing from the publisher.

Printed in the United States of America by Curran Associates, Inc., under license from SPIE.

Publication of record for individual papers is online in the SPIE Digital Library.



Paper Numbering: A unique citation identifier (CID) number is assigned to each article in the Proceedings of SPIE at the time of publication. Utilization of CIDs allows articles to be fully citable as soon as they are published online, and connects the same identifier to all online and print versions of the publication. SPIE uses a seven-digit CID article numbering system structured as follows:

- The first five digits correspond to the SPIE volume number.
- The last two digits indicate publication order within the volume using a Base 36 numbering system employing both numerals and letters. These two-number sets start with 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 0A, 0B ... 0Z, followed by 10-1Z, 20-2Z, etc. The CID Number appears on each page of the manuscript.

Contents

ix Conference Committee

OPTICAL SENSING AND IMAGING TECHNOLOGY

| 12557 02 | An EMD-wavelet algorithm for PDH error signal noise reduction of FBG strain sensor [12557-1] |
|----------|--|
| 12557 03 | A high linearity ADC with a ramp kickback noise compensation technique integrated in CIS [12557-2] |
| 12557 06 | Semantic segmentation of infrared ships based on scene-aware priors [12557-8] |
| 12557 07 | A new medical image transfer and process platform [12557-9] |
| 12557 09 | Research on multi-band space-based ultraviolet early warning system [12557-12] |
| 12557 0A | Image fusion of spatial inconsistency IR dual-band detector [12557-13] |
| 12557 OB | Pedestrian target tracking of UAV platform based on improved TLD algorithm [12557-14] |
| 12557 OC | Super-resolution of large field of view infrared image based on residual convolutional auto- encoders [12557-15] |
| 12557 0D | Polarization calibration method for simultaneous imaging polarization camera [12557-17] |
| 12557 OE | Blind and flash pixels detection and compensation algorithm for infrared detector based on image sequence [12557-18] |
| 12557 OF | A new recognition method aimed at optical reconnaissance attitude based on laser active interference [12557-19] |
| 12557 0G | Infrared methods for daytime detection of space target [12557-20] |
| 12557 OH | Research on large aperture long-focus optical system in external field environment [12557-21] |
| 12557 01 | Design of camera lens based on curved full frame sensor [12557-22] |
| 12557 OJ | Analysis and suppression of the impact of stray light on the imaging quality of optical remote sensors [12557-24] |
| 12557 OK | Research on line-of-sight stabilization control technology under moving platform [12557-25] |

| 12557 OL | Dual satellite image simulation based on TLE and SGP4 [12557-27] | |
|----------|--|--|
|----------|--|--|

- 12557 0M Space target docking ring recognition and center point positioning based on Tiny Darknet YOLOv3 fusion CenterNet [12557-29]
- 12557 0N Diagnosis of the periodic vibration using laser interferometry [12557-32]
- 12557 00 Snapshot spectral imaging with depth estimation based on mapped light field and coded light field [12557-33]
- 12557 OP Measurement technology of 2-dimensional flame imaging temperature based on infrared radiation [12557-37]
- 12557 OR Multi exposure image motion estimation based on improved optical flow [12557-39]
- 12557 0S Back projection algorithm based on linear estimation of refraction point position for subsurface imaging in layered scenes [12557-40]
- 12557 0T A high-reliability spaceborne dual-core on-orbit injection method [12557-41]
- 12557 0U Infrared small target detection algorithm based on entropy weighted multiscale local contrast [12557-42]
- 12557 0V Pansharpening algorithm via gradient domain PCNN and weighted mean curvature filtering [12557-43]
- 12557 0W Centroid location of star sub-pixels based on iterative Lagrange interpolation [12557-44]
- 12557 0X **Design and implementation of light and small low light level camera based on IMX253** [12557-45]
- 12557 0Y Correlation filter tracking algorithms against interference of similar object and fast motion [12557-47]
- 12557 0Z The design and analysis of infrared imaging system based on free-form surface optical elements [12557-49]
- 12557 10 A key technology research suitable for unattended optoelectronic reconnaissance system [12557-51]
- 12557 11 Study on the HDR fusion method based on dual gain grayscale image [12557-52]
- 12557 12 **Research on key technologies of intelligent adaptive infrared thermal imaging electronics** [12557-53]
- 12557 13 Research on key issues of asteroid detection radar system design [12557-54]
- 12557 14 Effectiveness evaluation of azimuth passive location for motion target [12557-55]

| 12557 15 | Research on passive positioning technology based on least-squared method in unmanned photoelectric reconnaissance vehicles network [12557-58] |
|----------|---|
| 12557 16 | Design of a spaceborne high-performance and real-time image processing platform [12557-59] |
| 12557 18 | Long-range nanosecond pulsed laser damage of CMOS cameras [12557-62] |
| 12557 19 | Airborne infrared small target recognition algorithm based on improved efficientdet [12557-63] |
| 12557 1A | Research on method of laser spot detection in infrared image [12557-64] |
| 12557 1B | Simulated methane combustion temperature detection based on TDLAS technology [12557-65] |
| 12557 1C | Imaging quality evaluation and testing process design of ultra-HD cameras [12557-66] |
| 12557 1D | Geometric parameters analysis of two large FOV space-borne optical imaging systems [12557-67] |
| 12557 1E | An FPGA-based real-time infrared target detection system with visual image positioning [12557-68] |
| 12557 1F | Image haze removal algorithm based on nonsubsampled contourlet transform [12557-69] |
| 12557 1G | High throughput defect inspection and ptychographic review for EUV mask [12557-70] |
| 12557 1H | Investigations on anti-counterfeiting label based on microlens array [12557-71] |
| 12557 11 | Switching the iteration in alternating optimization for blind super-resolution [12557-73] |
| 12557 1J | Design of wide-range and multi-spectral TDI-CMOS imaging system [12557-74] |
| 12557 1K | Investigations on defects inspecting apparatus and image processing technique for end surfaces of thermoelectric cooler components [12557-75] |
| 12557 1L | Evaluation method of authenticity of ceramic and porcelain cultural relics based on spectral analysis [12557-77] |
| 12557 1M | Grain loading condition monitoring based on dual cameras in intelligent cluster grain truck [12557-79] |
| 12557 1N | Athermalization of star sensor optical system with large field of view and low distortion [12557-81] |
| 12557 10 | Revised targeting task performance (TTP) metric for optical remote sensing system effectiveness evaluation [12557-82] |
| 12557 1P | Analysis of influencing factors of space-based super-resolution imaging [12557-83] |

| 12557 1Q | Edge detection of screw thread based on machine vision [12557-84] |
|----------|--|
| 12557 1R | Optimization of registration link under infrared super resolution reconstruction [12557-86] |
| 12557 18 | Research on noise simulation analysis of time-modulated Fourier spectrometer [12557-87] |
| 12557 IT | Optical RDE-based detection of the rotating objects free of obstructions [12557-88] |
| 12557 10 | An image correction algorithm and implementation for remote sensing camera [12557-89] |
| 12557 1V | Investigations on the non-ambiguity range extension of dual-comb ranging by repetition range variation [12557-92] |
| 12557 1W | An online self-calibration method of single-axis laser gyro strapdown inertial navigation system for shipboard radar [12557-93] |
| 12557 1X | Research on the key technology of high resolution low-light-level remote sensing [12557-94] |
| 12557 1Y | Research on multi-scale moving target detection method under mobile platform [12557-95] |
| 12557 1Z | Edges and hues keeping denoising algorithm for color images [12557-97] |
| 12557 20 | Extended model for environmental interaction in underwater ghost imaging [12557-98] |
| 12557 21 | Research on the enhancement method of small moving targets with low signal-to-noise ratio [12557-99] |
| 12557 22 | Research on health monitoring system of dual-spectrum mobile phone ring buckle [12557-100] |
| 12557 23 | Three-dimensional reconstruction of flame based on computed tomography of chemiluminescence [12557-101] |
| 12557 24 | Signal delay measurement based on correlation detection [12557-103] |
| 12557 25 | Preparation of high thermal conductivity adhesive for high precision optical fiber coil and its influence on coil temperature error [12557-104] |
| 12557 26 | The noise suppression method of long-wave infrared Fourier spectrometer at various piecewise [12557-106] |
| 12557 27 | Centroid and grayscale reconstruction algorithm for infrared point targets [12557-107] |
| 12557 28 | Research on the application of optical mirror detection efficiency and quality improvement based on CAD model and LR white light probe [12557-108] |
| 12557 29 | Research on data processing method for detection of small and weak targets in space [12557-109] |

| 12557 2A | Space target optic radiation flux simulation [12557-110] |
|----------|---|
| 12557 2B | Infrared sea clutter suppression method based on gradient filtering [12557-112] |
| 12557 2C | Man-made target detection method based on the red-edge spectral information in natural background [12557-113] |
| 12557 2D | New optical suppression technology of relative intensity noise for fiber optic gyroscope [12557-114] |
| 12557 2E | A dual comb ranging processing method for the target under vibration [12557-116] |
| 12557 2F | Stray light correction method for VIIRS DNB based on automatic region division [12557-118] |
| 12557 2G | A model-based reinforcement learning algorithm faced with the laser frequency sweep linearization for FMCW LiDAR [12557-119] |
| 12557 2H | High flat C+L band broad spectrum ASE light source for high precision fiber optic gyroscope [12557-121] |
| 12557 2J | Measurement and simulation on laser scattering properties of the complex target [12557-123] |
| 12557 2K | HDR fusion algorithm based on PCNN and over exposure correction [12557-124] |
| 12557 2M | Fast optical rotation dispersion measurement by using polarization axis finder and conical lens [12557-126] |
| 12557 2N | Analysis on drought stress of Longjing tea seedlings based on slope fluorescence index [12557-127] |
| 12557 20 | An efficient wide area imaging scheme based on spiral scanning [12557-130] |
| 12557 2P | Analysis of parallax characteristics of binocular vision based on no-similar imaging [12557-131] |
| 12557 2Q | Design of a wide field camera for detecting dim targets [12557-132] |
| 12557 2R | Design of near-space infrared dual-channel multi-spectral camera [12557-133] |
| 12557 28 | Dynamic range design and on orbit evaluation of the Polarized Scanning Atmospheric Corrector (PSAC) onboard HJ-2 A/B satellites [12557-138] |
| | |

DISPLAY TECHNOLOGY AND OPTICAL STORAGE

12557 2T Weighted optimization algorithm to eliminate the sawtooth of three-dimensional display effect [12557-140]

OPTICAL DISPLAY AND SENSING IN AUGMENTED, VIRTUAL, AND MIXED REALITY (AR, VR, MR)

12557 20 Design of retinal projection near-eye display with extended eyebox based on freeform holographic elements [12557-141]

QUANTUM INFORMATION TECHNOLOGY

- 12557 2V Time traceability of BeiDou system based on microwave-optical entanglement [12557-142]
- 12557 2W High-fidelity gate operations with short paths in a A system [12557-143]
- 12557 2X Reverse engineering of high-fidelity nonadiabatic holonomic quantum gates in the ensemble-ions system [12557-144]

NOVEL TECHNOLOGIES AND INSTRUMENTS FOR ASTRONOMICAL MULTI-BAND OBSERVATIONS

- 12557 2Y Study on vibration and control method of solar wing of Tianzhou-1 cargo spacecraft [12557-145]
- 12557 2Z Research on active disturbance rejection control of voice coil motor based on improved particle swarm optimization [12557-146]
- 12557 30 **Design and optimization research of Φ 1.6m space mirror and its supporting structure** [12557-147]
- 12557 31 Dynamical analysis and structural optimisation of angular contact ball bearing [12557-148]

Conference Committee

Conference Chairs

Yadong Jiang, University of Electronic Science and Technology of China (China)
Xiaoyong Wang, Beijing Institute of Space Mechanics and Electricity (China)
Yongtian Wang, Beijing Institute of Technology (China)
Dong Liu, Zhejiang University (China)
Bin Xue, Tianjin University (China)

Conference Co-chairs

Liangcai Cao, Tsinghua University (China) Qionghua Wang, Beihang University (China)

Program Committee

Chongling Guo, Beijing Institute of Space Mechanics and Electricity (China)
Wushan Li, Fuzhou University (China)
Hongen Liao, Tsinghua University (China)
Juan Liu, Beijing Institute of Technology (China)
Xinzhu Sang, Beijing University of Posts and Telecommunications (China)
Jun Wang, University of Electronic Science and Technology of China (China)
Jiang Wu, University of Electronic Science and Technology of China (China)

Chao Zuo, Nanjing University of Science and Technology (China)