Photopigment density variation of individual cone photoreceptors revealed by phase-sensitive AO-OCT (Erratum)

Marcel T. Bernucci,¹ Yan Liu¹, James A. Crowell,¹ Kazuhiro Kurokawa,^{1,2} Qiuzhi Ji,¹ Donald T. Miller¹

¹Indiana Univ. (United States) ²Legacy Health (United States)

Proceedings Volume 12360, Ophthalmic Technologies XXXIII; 1236006 (2023) <u>https://doi.org/10.1117/12.2649489</u>

Event: SPIE BiOS, 2023, San Francisco, California, United States

Online Publication Date: 14 March 2023 Erratum Published: 5 January 2024

Publisher's Note: This paper, [Proceedings Volume 12360, Ophthalmic Technologies XXXIII; 1236006 (2023) <u>https://doi.org/10.1117/12.2649489</u>] was originally published on 14 March 2023.

A revised version of this manuscript was published on 5 January 2024 at the request of the authors. Details of the revision are provided in the text that accompanies this Erratum. The original paper has been updated.

The following revisions have been made:

- The reference list has been updated
- The Results section has been updated according to the author's notes

In the second to last paragraph of the Results section, the original sentence, "Photopigment density decreased with a slope of -0.19° (p < 0.001) from 3.3° to 4.3° temporal retina across the 1° width of the AO-OCT image"

was changed to "Photopigment density decreased with a <mark>slope of -0.24° (p < 0.001) from 3.4° to 4.2° temporal retina across the 0.8° width</mark> of the AO-OCT image."

Author's note: "This slope value is also updated in the Abstract section. This change does not take away from the main conclusions or interpretation of results of our study."